GALLERY® collection

1 & 2-LAYER CONSTRUCTION



America's Favorite Garage Doors®



GALLERY collection

Clopay's one and two-layer Gallery® collection combines stylish carriage house designs at more affordable prices. Create a look that complements the overall look of your home by selecting the panel size, window or solid top section design and decorative hardware to give it that one-of-a-kind look. Available with or without insulation, it is virtually maintenance-free, so the first fabulous impression becomes a lasting impression.

STYLE AND CONSTRUCTION

- 24 gauge or 25 gauge 2" steel frame construction for long-lasting performance.
- Hot-dipped galvanized steel interior and exterior skins with a baked-on primer and top coat help ensure a virtually maintenance-free door with long-lasting beauty.
- Optional 1-5/16" polystyrene insulation improves energy efficiency. 6.3 R-value (Models GD5SV, GD4SV and GD4LV).
- Long-life nylon rollers are quiet and durable.
- Rustproof, aluminum bottom weatherseal retainer and vinyl astragal help seal out the elements.
- See your Clopay Dealer for WINDCODE® door availability.

Calculated door section R-value is in accordance with DASMA TDS-163.





Model	Description
GD5S	25 Gauge, Short Panel, Non-Insulated
GD4S	24 Gauge, Short Panel, Non-Insulated
GD4L	24 Gauge, Long Panel, Non-Insulated





Model	Description
GD5SV	25 Gauge, Short Panel, Insulated
GD4SV	24 Gauge, Short Panel, Insulated
GD4LV	24 Gauge, Long Panel, Insulated



DOOR DESIGNS



Long (GD4L and GD4LV)

GD5S/GD5SV available 5'0"-18'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). GD4S/GD4SV available 5'0"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). GD4L/GD4LV available 7'8"-20'0" wide in 2" increments (excludes 10'2"-11'4" and 14'8"). All doors available 6'0"-16'0" high in 3" increments.

Standard hardware shown above.

COLORS









Standard White

Almond

Desert Tan

Sandtone Chocola

- Exterior steel on standard color doors has a natural woodgrain texture.
- Doors can be painted to match the home's exterior using a high-quality latex exterior paint.
 Do not use oil-based paint.
- * Not available on Models GD4L and GD4LV. Due to the printing process, colors may vary.

CUSTOM PAINT OPTION



Color Blast® offers more than 1,500 Sherwin-Williams® color options to complement your home. Clopay's durable two-part paint system has been thoroughly tested and is backed by a five-year warranty.

SHORT PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

HEIGHTS 7'0"-8'0"

Illustrations simplified for clarity

10'6"-12'0'

9'0"-10'0"

MODELS GD5S, GD5SV, GD4S AND GD4SV WIDTHS 5'0"-6'0" 6'2"-7'6' 11'6"-14'6' 14'10"-19'0' 19'2"-20'0' 7'8"-10'0" Models GD5S and GD5SV available only in widths up to 18'. Long Top Section ARCH1 Plain Short 4411 | 1111 | 4411 | 1111 ARCH1 with Grille14 ARCH1 with Grille24 Plain Long 44 Db 44 Db ARCH2 REC12 ---- ---- ---- ----411 411 an an an an REC14 ARCH2 with Grille14 ARCH2 with Grille24 ========= SQ22 ARCH3 SQ24 Trenton® Short† HO HE OUR DOC DOC DOC HES HEE ARCH3 with Grille14 Trenton® Long† ARCH3 with Grille24 000000 000000 Kristin® Short† Clayton™ Short† 40 40 40 40 A 00 00 00 00 Kristin® Long† Clayton™ Long[†] 000000 Wrought Iron Short*† Wrought Iron Arch*† 36 36 38 38 94 94 94 94 94 94 94 ഞ്ഞ് ഞ്ഞ किंक किंक किंक किंक Wrought Iron Long*1 PERMI PER PER PER PER

^{*}Acrvlic

[†]Complements Clopay Entry Door glass.

LONG PANEL WINDOW DESIGNS AND TOP SECTION OPTIONS

7'0"-8'0"

HEIGHTS

Illustrations simplified for clarity

10'6"-12'0'

9'0"-10'0

MODELS GD4L AND GD4LV WIDTHS 7'8"-10'0' 11'6"-14'6" 14'10"-19'0' 19'2"-20'0' 7'8"-10'0" Short Top Section ARCH1 II III it i 111 Plain Short 4411 Illia 4411 Illia ARCH1 with Grille14 it it ARCH1 with Grille24 Plain Long 441 No. 441 No. ARCH2 REC12 ---- ---- ---- ---an an an an an an REC14 ARCH2 with Grille14 ARCH2 with Grille24 SQ22 ARCH3 SQ24 tt Trenton® Short† HAR SING DOE SING SING SING DICE ARCH3 with Grille14 (filling) "" Trenton® Long† ARCH3 with Grille24 000000 000000 000000 000000 000000 000000 ft f (t) Kristin® Short† Clayton™ Short† *** * *** 000 000 000 000 ((Kristin® Long† Clayton™ Long[†] Wrought Iron Short*1 Wrought Iron Arch*† 88 88 88 86 88 88 88 88 88 88 88 ഞ്ഞ് ഞ്ഞ ক্রিকে ক্রিকে ক্রিকে Wrought Iron Long*1 REEN REEN

^{*}Acrylic

[†]Complements Clopay Entry Door glass.

Windows







alli illia



ARCH1 with Grille24



ARCH2 with Grille14

ARCH2 with Grille24

SQ24

SQ22

REC14



Kristin® Short*



Trenton® Short*





Clayton™ Short*







Clayton™ Long*







Wrought Iron Long*



Wrought Iron Arch'

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit clopaydoor.com/acrylic for complete details.

*Complements Clopay Entry Door glass.

Long and short windows may be used in any Gallery® 1 and 2-layer model. Double strength glass is standard. Optional 1/8" obscure glass is available on all Gallery® 1 and 2-layer models.

Windows are available single pane or insulated in clear, frosted, seeded and rain designs. Clear acrylic also available.

Warranties

25 GAUGE DOORS (GD5S and GD5SV)

LIMITED

10 YR

WARRANTY

LIMITED

10 YR

the environment.

shipping, damage and handling.

clopaydoor.com/green

For more details on Clopay's green practices visit



Frosted

PAINT SYSTEM

LIMITED

15 YR

LIMITED

LIFE

WARRANTY



Seeded

LIMITED

3YR

WARRANTY

LIMITED

3YR

A FOCUS ON ALCEV

The Gallery® Collection one and two-layer construction helps

conserve natural resources by providing a durable, reliable, low-maintenance, energy efficient door. Long-lasting steel doors and hardware are impervious to moisture and will not rot, warp or crack, and the steel used in Clopay's doors is made from over 75% recycled content. All Clopay doors are made in the U.S., minimizing

Clopay is committed to designing, manufacturing and

and value of your home while minimizing the impact on

distributing garage doors that enhance the beauty, safety

24 GAUGE DOORS (GD4S, GD4L, GD4SV and GD4LV)



Decorative Hardware

STANDARD



Note: Decorative hardware options vary based on door widths. Standard hardware is not provided if a lock is chosen. See your Clopay Dealer for details.

Operable

L-Keylocks

Operable

T-Keylock

Clear

OPTIONAL








Colonial Lift Handles¹

Colonial Step Plate¹



Gate Latch

Handles[†]







Round Resin



Diamond Resin Clavos'

Escutcheon Plates

*Door may not open properly if installed near the top depending on opening dimensions and lift type. See your Clopay Dealer for more details

Additional Features



Large authentic arch window designs.



Decorative panel edging and natural embossed woodgrain texture.



For more detailed product specification information or availability of our Gallery® Collection Garage Doors, please contact your Clopay Dealer. To locate a dealer to help you select the right door for your home, just go to www.clopaydoor.com/dealer or call 1-800-2CLOPAY (225-6729).

Follow us on 🖪 🚻 🕒 🖊 🖪 🚱











